

New premises for sanitation in arbovirus infections control in Brazil

Novos pressupostos para o saneamento no controle de arbovirose no Brasil

Nuevas presuposiciones para el saneamiento en el control de arbovirosis en Brasil

*Josiane Teresinha Matos de Queiroz*¹

*Priscila Neves Silva*¹

*Léo Heller*¹

doi: 10.1590/0102-311X00223719

Arbovirus infections such as dengue, Zika, and chikungunya cause pain and suffering in the population and overload the health systems. Recent outbreaks have exposed the vulnerability of prevention and control measures for these arbovirus infections. Thus, the complexity of arboviruses has increased as susceptible population groups emerge in different geographic areas^{1,2,3,4,5}.

In 2019, a total of 1,544,987 cases of dengue, 132,205 of chikungunya, and 10,768 of Zika were reported in Brazil. There were 782 confirmed deaths from dengue, 92 from chikungunya, and three from Zika⁶. The high incidence rates of arbovirus infections transmitted by *Aedes* mosquitoes in recent years in Brazil may be associated with deficiencies in the water supply⁷, whether caused by extreme droughts, inadequate management of water utilities, or deficient public policies, and probably by the combination of these factors. The high rates may also be related to inadequate access to other components of sanitation, such as sewage disposal, solid waste disposal, and storm drainage.

Although Brazil has legislation on processes providing for universalization of sanitation services, notably the National Plan for Basic Sanitation (PLANSAB), coverage of running water supply and sewage disposal is still incipient. If planning takes the premises of the Human Right to Water and Sanitation (HRWS) into account in the elaboration and implementation of public policies, such policies become more egalitarian and contribute to the promotion of health for vulnerable populations.

Importantly, the way the territory is organized defines relations with the environment and thus influences the emergence of diseases. It is thus necessary to observe each territory with its specificities and to locate, as precisely as possible, where and how the diseases are occurring, which services the population needs, the areas of potential health and environmental risks, and the areas where the vulnerable social situations are located⁸. In this context, sanitation services can be an important determinant of the incidence and prevalence of arbovirus infections, while such services have been neglected in disease control strategies. The implementation of services has not been oriented from the HRWS perspective, which provides for important instruments to analyze the territory's real situation, pointing to guidelines for planning.

We thus present three premises for debate on the relationship between arbovirus infections and the supply of sanitation services, considering the inclusion of HRWS premises as an important element for the control of these diseases.

¹ Instituto René Rachou, Fundação Oswaldo Cruz, Belo Horizonte, Brasil.

Correspondence

J. T. M. Queiroz
Instituto René Rachou,
Fundação Oswaldo Cruz,
Av. Augusto de Lima 1715,
Belo Horizonte, MG
31190-009, Brasil.
josiane.matosqueiroz@yahoo.
com.br



Sanitation measures and neglect of the dimensions in arboviruses control

Knowledge of the relationship between access to sanitation services and arbovirus infections has been consolidated by research published in Brazil and elsewhere. Such studies have found that deficiencies in the supply of sanitation services bears a relationship to the incidence and prevalence of these diseases, to varying degrees in different contexts. Studies indicate that dengue incidence and prevalence reflect a territory's social structure with its risk factors and socioenvironmental vulnerability. Infestation with the mosquito vector is present in various locations, but the morbidity is higher in the most economically vulnerable populations, with precarious coverages rates for basic sanitation services^{9,10,11,12,13,14,15,16,17,18,19,20,21,22,23}. Importantly, although sanitation factors are essential for explaining the occurrence of arbovirus infections, they alone do not explain the heterogeneity of diseases, in which there are multiple determinants of various aspects and factors^{24,25}.

In addition to knowledge on the issues affecting the population's health, using the territory as the analytical unit allows identifying possibilities for intervention. In relation to sanitation, understanding cultural and social practices allows identifying the best technologies for use. Intervention measures developed at the territorial level allow active community participation in the decision-making process, building a new form of governance. Sanitation policies generally fail to consider the local health situation and its relationship to different types of interventions and technological concepts to be implemented. Technocentric and economicist biases still predominate, and similar solutions are often applied to diverse contexts. Thus, sanitation measures may not achieve the best public health results. For example, the management and maintenance of equipment may be difficult for more traditional communities. Economicist approaches that fail to take cultural and social differences into account may not be effective^{26,27}.

An alternative approach values endogenous participatory and democratic development. Tackling arbovirus infections will certainly be more effective if policymakers understand the importance of sanitation services in promoting public health and taking interdisciplinary analysis of the territory into account.

Access to water supply and sewage disposal and the premises of HRWS

Access to water was recognized as a human right in 2010 by the U.N. General Assembly, and in 2015 sewage disposal was recognized as an independent right, although integrated with the right to water. These rights derive from other rights, such as the right to physical and mental health and the right to life and dignity, and are thus backed by international human rights laws^{28,29}.

Thus, the theoretical frame of reference for HRWS was explicitly acknowledged internationally and back by resolutions published annually. These resolutions assume legal obligations for the States parties, which should respect, promote, and protect these rights based on premises and principles such as nondiscrimination/equity, sustainability, social and democratic participation, information, transparency, and accountability^{30,31,32}. Water should be physically, geographically, and financially accessible, and it should be safe, acceptable, and available in sufficient amounts for personal and household use. In relation to sewage disposal, in addition to the premises on access to water, countries should ensure privacy of access and guarantee dignity and safety and be culturally acceptable.

The approach to HRWS thus allows assessing important aspects involved in guaranteeing such rights, such as those related to gender, minority and vulnerable people's rights, management models, and the population's cultural characteristics, dimensions that extend beyond infrastructure conditions such as coverage of water and sewage pipes²⁸.

According to Neves-Silva & Heller²⁹, the use of HRWS as a public policymaking tool can favor the population's health promotion through recognition of individuals as subjects of rights, and the understanding that access to safe water and sewage disposal should be treated as a right and not merely as a favor.

HRWS and SDG 6 as promoters of public health protection

In 2015, nearly all countries of the world agreed on the 17 Sustainable Development Goals (SDGs) and their 169 targets, with the purpose of eradicating poverty, protecting the planet, and ensuring the prosperity of all as the motto: *No One Left Behind*³¹. As for achievement of the HRWS, it is considered SDG 6: ensure availability and sustainable management of water and sanitation for all by 2030, eliminate inequality in access to drinking water, without discrimination, having access to safe water with quality, and guaranteeing adequate access to sewage disposal aimed at eliminating the practice of defecating in the open, with special attention to the needs of women and those in situations of vulnerability. Thus, SDG 6 incorporates new elements into the discussion on the concept of access with equity and nondiscrimination, as well as the importance of having access outside the household, as in schools and health centers⁸.

SDG 6 provides for eight targets addressing access to safe water and sewage disposal and management of water resources from an integrated perspective. The concern with drinking water supply is the focus of target 6.1. Target 6.2 addresses sewage disposal, and it is interconnected with other targets, since it is known that inadequate sewage disposal and treatment can lead to contamination of the soil, seas, and water sources for supply, jeopardizing public health.

Water supply rates in Brazil have improved in recent decades, despite caveats by researchers and government agencies on quantity, quality, availability, and access. The Brazilian National Water Agency (ANA) cited a coverage rate of 97.2% in 2017. However, the agency emphasizes the distribution of the percentage deficit across income brackets, with the population earning up to three times the official monthly wage, or about USD 675.00 a month, as the most affected by the lack of indoor running water supply. The indicator of sewage disposal coverage in Brazil, including both public sewage disposal and septic tanks, was 63.5% in 2017, with several caveats on the data's reliability. Universal access to proper sewage disposal in Brazil would require investments of approximately 100 billion BRL (USD 21 billion) by 2035, and proper treatment of the sewage would require another 47.6 billion BRL (USD 10 billion). The indicators for the period in question showed progress, with the largest persistent deficiencies in the sewage disposal rates, emphasizing the need for urgent measures. This also touches on guidelines and recommendations, with the year 2035 as the planning time horizon³³.

The PLANSAB sets different regional targets for water supply and sewage disposal by the year 2033, seeking to reach universal coverage of services. According to the document, in 2010, 59.4% of Brazilian households had what was considered adequate water supply, while for sewage disposal the figure was only 39.7%³⁴.

To meet the targets set in SDG 6, it is necessary to understand the complex changes taking place in various spheres of people's lives, stemming from serious issues related to on-going processes of urbanization, socio-spatial segregation, economic crises, incentives, and political action. The situation, especially in Brazil's complex metropolitan areas, reveals a burden of social exclusion or precarious inclusion.

More effective disease control can be achieved through policies aimed at minimizing exposure to arbovirus vectors and providing healthy environments for the population by taking the premises of HRWS into account and the territory as the locus of action and seeking equity and nondiscrimination in access to sanitation for vulnerable populations.

Final remarks

Arbovirus infections have public health impacts due to various factors, ranging from the diversity of infectious agents to the difficulty in implementing and maintaining vector control measures and activities. This highlights the importance of sanitation as a way of controlling the incidence and prevalence of arbovirus infections, considering the inclusion of the premises of HRWS when planning the activities.

The article emphasizes the recognition of HRWS as a relevant milestone for the sanitation sector's agenda, presenting important and urgent issues that aim to guarantee other conditions

beyond merely the economicist view. If included in public policies, such issues can reach other parts of the population.

The article thus values the elaboration of integrated policies and action, organized jointly with society, considering the unique characteristics of various territories and prioritizing other models beyond the top-down approaches that hinder effective participation by the population and thus the fight against arbovirus diseases.

Contributors

J. T. M. Queiroz and P. N. Silva conceived the article and wrote and revised the manuscript. L. Heller wrote and revised the manuscript.

Acknowledgments

The authors wish to thank Fiocruz Support Foundation (Fiotec).

Additional informations

ORCID: Josiane Teresinha Matos de Queiroz (0000-0002-5773-6006); Priscila Neves Silva (0000-0001-8909-4477); Léo Heller (0000-0003-0175-0180).

References

1. World Health Organization. Global strategy for dengue prevention and control 2012-2020. <https://www.who.int/denguecontrol/9789241504034/en/> (accessed on 19/Jun/2018).
2. Weaver SC, Costa F, Garcia-Blanco MA, Ko AI, Ribeiro GS, George S, et al. Zika virus: history, emergence, biology, and prospects for control. *Antiviral Res* 2016; 130:69-80.
3. Rodriguez-Morales AJ, Villamil-Gomez WE, Franco-Paredes C. The arboviral burden of disease caused by co-circulation and co-infection of dengue, chikungunya and Zika in the Americas. *Travel Med Infect Dis* 2016; 14:177-9.
4. Barreto ML, Teixeira MG. Dengue no Brasil: situação epidemiológica e contribuições para uma agenda de pesquisa. *Estud Av* 2008; 22:53-64.
5. Lopes N, Nozawa C, Linhares REC. Características gerais e epidemiologia dos arbovírus emergentes no Brasil. *Rev Pan-Amazônica Saúde* 2014; 5:55-64.
6. Secretaria de Vigilância em Saúde, Ministério da Saúde. Monitoramento dos casos de arbovírus urbanos transmitidas pelo *Aedes* (dengue, chikungunya e Zika), semanas epidemiológicas 01 a 52. *Boletim Epidemiológico* 2; volume 51. <http://portalarquivos2.saude.gov.br/images/pdf/2020/janeiro/20/Boletim-epidemiologico-SVS-02-1-.pdf>.
7. Heller L. “Melhoramento dos serviços de água e saneamento é a resposta”, apontam especialistas da ONU. <http://acnudh.org/pt-br/home-2/> (accessed on 06/Jun/2018).
8. World Health Organization; United Nations Children’s Fund. Joint monitoring program for water supply and sanitation. Progress on drinking water and sanitation. Update 2017. Geneva: World Health Organization; 2017.
9. Pina MF, Santos SM. Os sistemas de informações geográficas. In: Pina MF, Santos SM, Carvalho MS, organizadores. Conceitos básicos de sistemas de informação geográfica e cartografia aplicados à saúde. Brasília: Organização Pan-Americana da Saúde; 2000. p. 13-4.
10. Vilani RM, Machado JS, Rocha ETS. Saneamento, dengue e demandas sociais na maior favela do Estado do Rio de Janeiro: a Rocinha. *Vigil Sanit Debate* 2014; 3:18-29.
11. Flausino RF, Souza-Santos R, Oliveira RM. Indicadores socioambientais para vigilância da dengue em nível local. *Saúde Soc* 2011; 20:225-40.
12. Oliveira RM, Valla VV. Living conditions and life experiences of working-class groups in Rio de Janeiro: rethinking dengue control and popular mobilization. *Cad Saúde Pública* 2001; 17 Suppl:77-88.

13. Vilcarronero S, Casanova W, Ampuero JS, Rimal-Asayag C, Siles C, Diaz G, et al. Lecciones aprendidas en el control de *Aedes Aegypti* para afrontar el dengue y la emergencia de Chikungunya en Iquitos, Perú. *Rev Peru Med Exp Salud Publica* 2015; 32:172-8.
14. Thammapalo S, Chongsuvivatwong V, Geater A, Dueravee M. Environmental factors and incidence of dengue fever and dengue haemorrhagic fever in an urban area, Southern Thailand. *Epidemiol Infect* 2008; 136:135-3.
15. Carlton EJ, Liang S, McDowell JZ, Li H, Luo W, Remais JV. Regional disparities in the burden of disease attributable to unsafe water and poor sanitation in China. *Bull World Health Organ* 2012; 90:578-87.
16. Rey JR, Lounibos LP, Padmanabha H, Mosquera M. Resurgencia del dengue en América: pautas, procesos y prospectos. *Interciencia: Revista de Ciencia y Tecnología de América* 2010; 35:800-6.
17. Braga C, Luna CF, Martelli CM, Souza WV, Cordeiro MT, Alexander N, et al. Seroprevalence and risk factors for dengue infection in socio-economically distinct areas of Recife, Brazil. *Acta Trop* 2010; 113:234-40.
18. Teixeira TRA, Medronho RA. Indicadores sócio-demográficos e a epidemia de dengue em 2002 no Estado do Rio de Janeiro, Brasil. *Cad Saúde Pública* 2008; 24:2160-70.
19. Almeida AS, Medronho RDA, Valencia LI. Spatial analysis of dengue and the socioeconomic context of the city of Rio de Janeiro (Southeastern Brazil). *Rev Saúde Pública* 2009; 43:666-73.
20. Lenzi MF, Coura LC, Gault CE, Val MB. Estudo do dengue em área urbana favelizada do Rio de Janeiro: considerações iniciais. *Cad Saúde Pública* 2000; 16:851-6.
21. Costa JV, Donalísio MR, Silveira LVA. Spatial distribution of dengue incidence and socio-environmental conditions in Campinas, São Paulo State, Brazil, 2007. *Cad Saúde Pública* 2013; 29:1522-32.
22. Johansen IC, Carmo RL, Alves LC, Bueno MCD. Environmental and demographic determinants of dengue incidence in Brazil. *Rev Salud Pública* 2018; 20:346-51.
23. Pedrosa CSG, Souza LRQ, Lima CVF, Ledur PF, Karmirian K, Gomes TA, et al. The cyanobacterial saxitoxin exacerbates neural cell death and brain malformations induced by Zika virus. *PLoS Negl Trop Dis* 2020; 14:e0008060.
24. Buss PM, Pellegrini Filho A. A saúde e seus determinantes sociais. *Physis (Rio J.)* 2007; 17:77-93.
25. Sommerfeld J, Kroeger A. Eco-bio-social research on dengue in Asia: a multicountry study on ecosystem and community-based approaches for the control of dengue vectors in urban and peri-urban Asia. *Pathog Glob Health* 2012; 106:428-35.
26. Aleixo B, Pena JL, Heller L, Rezende S. Infrastructure is a necessary but insufficient condition to eliminate inequalities in access to water: research of a rural community intervention in Northeast Brazil. *Sci Total Environ* 2019; 652:1445-55.
27. Silva PN, Cabral AR, Dias AP, Matida AH, Kligerman DC, Carneiro FF, et al. Saneamento e saúde. Saneamento: entre os direitos humanos, a justiça ambiental e a promoção da saúde. Rio de Janeiro: Editora Fiocruz; 2018. (Série Fiocruz. Documentos Institucionais) (Coleção Saúde, Ambiente e Sustentabilidade, 6).
28. Brown C, Neves-Silva P, Heller L. The human right to water and sanitation: a new perspective for public policies. *Ciênc Saúde Colet* 2016; 21:661-70.
29. Neves-Silva P, Heller L. O direito humano à água e ao esgotamento sanitário como instrumento para promoção da saúde de populações vulneráveis. *Ciênc Saúde Colet* 2016; 21:1861-9.
30. United Nations General Assembly. Human right to water and sanitation. Geneva: United Nations General Assembly; 2010. (UN Document A/RES/64/292).
31. United Nations. Resolution adopted by the General Assembly on 25 September 2015. Transforming our world: the 2030 Agenda for Sustainable Development. Geneva: United Nations; 2015.
32. United Nations Human Right Council. Report of the special rapporteur on the human right to safe drinking water and sanitation. Geneva: United Nations Human Right Council; 2015.
33. Agência Nacional de Águas. ODS 6 no Brasil: visão da ANA sobre os indicadores. <https://www.ana.gov.br/aceso-a-informacao/institucional/publicacoes/ods6/ods6.pdf> (accessed on 18/Dec/2019).
34. Secretaria Nacional de Saneamento Ambiental, Ministério das Cidades. Plano Nacional de Saneamento Básico. http://www.cidades.gov.br/images/stories/ArquivosSNSA/PlanSaB/plansab_texto_editado_para_download.pdf (accessed on 23/May/2018).

Submitted on 06/Dec/2019

Final version resubmitted on 10/Feb/2020

Approved on 14/Feb/2020